


GAS & ELECTRIC APPLIANCES 2021/22

Exquisite fires for elegant homes

All about Wildfire	3	Open Fronted Gas Fires	
Gas Fires		Cavello Full Depth Open Fronted	44-45
Some things you need to know	4-5	Montese (Cadiz Suite)	
Function and Performance	6-7	Radiant full Depth Open Fronted	46-47
High Efficiency		Ceralis (Salerno suite) Radiant Open Fronted for Precast Flues	48-49
(Glass Fronted) Gas Fires		Ellipsis (HIW / Hearth Mount) A range of options featuring the Ellipsis trim	50-51
HE900 (Avellino Suite) for standard and precast flues	8-9	Gas Stoves	
HE900 (Dawin Suite) for standard and precast flues	10-11	Ravel Gas Stove for standard and precast flues	52-53
HE950L (Seville Suite) for standard and precast flues	12-13		
HE950L (Palma Suite) for standard and precast flues	14-15	Trim Options & Technical Information Gas Fires	lion
Ravel 600 (Asti 600 Suite) Limesto	one 16-17	Trim Options Choose a trim for your Gas Fire	54
Ravel 600 (Amalfi Suite) Micro Mal for standard flues	rble 18-19	Technical information for all gas appliances	55
Ravel 600 HIW Gas Fire		Electric Fires	
for standard flues	20-21	Some things you need to know	56-57
Ravel 800 (Asti 800 Suite) Limesto for standard flues	one 22-23		
Ravel 800 (Siena Suite) Micro Mar		Electric Fireplace Suites	
for standard flues	24-25	HE900E (Avellino Suite) for Flat Wall installation	58-59
Ravel 800 (HIW) for standard flues	26-27	HE950LE (Seville Suite)	00 07
Ravel 750 (Asti 750 Suite) Limesto	ne	for Flat Wall installation	60-61
for standard flues	28-29	HE950LE (Palma Suite)	
Ravel 750 (Valentia Suite) Micro Ma for standard flues	arble 30-31	for Flat Wall installation	62-63
Panama HE (Salvador Suite) for standard flues	32-33	Panama E22 Widescreen (Avellino Suite) for Flat Wall installation	64-65
Cressida HE		Panama E22 (Salvador Suite) Widescreen Electric Fireplace	66-67
for standard flues	34-35	Ravel E16 (Salvador Suite)	00 01
Pesaro HE slimline for standard and precast flues	36-37	16x22 Electric Fireplace	68-69
Ravel HE (Salvador Suite) 16" x 22" Log fire for standard flues	38-39	Trim Options & Technical Information For Electric Fires	tion
High Efficiency (Balanced Flue—No Chimney) Gas Fires	Trim Options Choose a trim for your Electric Fire	70
Thermes 16" x 22" Balanced Flue Gas Fire	40-41	Fireplace dimensions for all Electric Fireplace Suites	71
BF960SL (Hole in the Wall)			

42-43

Landscape Balanced Flue Gas Fire



Exquisite fires for elegant homes

Wildfire are a multi award winning gas appliance manufacturer. The HE950L Seville Suite was named not only Gas fireplace suite of the year, but also 'Product of the Year' at the 2018 Hearth and Home exhibition.

Wildfire are dedicated to the design and manufacture of innovative and attractive fireplaces for British homes. At Wildfire we are committed to providing the highest quality heating products with a proven performance. Our innovative range of gas and electric fireplace suites have been tested to comply with the latest British and European standards and are manufactured in an ISO certified factory.

New for the 2021/2022 heating season is a beautiful range of gas fireplace suites featuring the Ravel 600/750/800. The Stunning new Ravel Stove is also now available, contact your dealer for a demonstration.

The Wildfire gas product range includes many products which have been designed and approved with efficiency at their core. In a world where energy costs have soared we believe it is important to obtain the absolute maximum from your heating appliance. With this in mind the net efficiency of Wildfire open fronted gas fires are up to 62% and the glass fronted fires up to 87.2%. So when you purchase a Wildfire heating product you can be confident that you will be installing a product that will deliver in all installation scenarios. Here at Wildfire we are devoted to innovative design whilst maintaining maximum functionality. All Wildfire slide control gas fires feature the latest patented Direct Slide technology.

Wildfire is the premier gas and electric appliance brand from Hearth Products Limited. Hearth Products has been actively involved in design and technology for the fireplace industry across the globe since 2003. Our product technologies have been used in products across Europe, Australia and North America.

Some things you need to know

Do I need a Convector or a Radiant Gas Fire?

It is important to know the difference between Radiant heat and Convected heat.

Radiant heat. In short, Radiant heat is emitted from all Wildfire appliances. This type of heat is actually infrared and heats objects in the room. Radiant heat is considered to be the most comfortable and natural form of heat.

Convected heat warms the air in the room. By passing the cooler air which enters the appliance at the bottom, through a heat exchanger, it warms up, then emits the hotter air back into the room from the top of the appliance.

Do I need a Glass Fronted Gas Fire?

A glass fronted fire will be more efficient and therefore more cost effective to run. Glass fronted appliances are usually more expensive

In general terms, it is usually more cost effective to purchase a glass fronted appliance if it is to be used more regularly as the efficiency savings will provide a quicker payback for the more expensive appliance. It is also important to remember that a glass fronted appliance will normally provide a similar amount of heat to an open fronted appliance, however, as it is more efficient, it is cheaper to run.





We guarantee* our gas fire products for a period of 5 years from installation and our customer service staff are always on hand to help you with any query you may have with your product.

*Our 5 year limited guarantee** is managed directly by Wildfire through our extensive network of service centres throughout the UK. Choose Wildfire for style, performance, reliability, value and peace of mind.













What type of flue do I have?

You will need to know what type of flue you have in your home. You will see these icons on each product page which will show if the appliance is suitable for your property. It may be that you have a Brick Chimney (otherwise known as a Class 1 flue), a Pre-Fabricated Metal System (which can be a Class 1 or Class 2 flue) or a Pre-Cast Flue (a flue which is built into the inner brickwork of your home). If you do not have a chimney or flue system in your home then you will need to look for a balanced flue gas fire which, if you already have a balanced flue gas fire in the property, is usually indicated by a flue terminal concealed within a basket on the outside of the property.









Electronic Control

What control options are available?

All Wildfire products are available with a Direct Slide option giving you the ease of reliable and simple operation. The slide is operated from the top right side of the appliance and provides ignition, flame control and turns the fire off when you're finished. Most of the Wildfire range is available in manual control too — these fires have a removable cover at the base of the fire where the rotary control and igniter are situated.

Wildfire are also now introducing the manual electronic ignition to make the manual control range even easier to use.



What type of gas do I need?

Wildfire appliances are currently only available for natural gas.

6 GAS FIRES

Function & Performance

0.D.S

The Oxygen Depletion Sensor will automatically shut off the gas supply to the burner if the oxygen level in the room falls below a particular level. This is important as it will turn off the appliance should the flue become blocked or a lack of ventilation occurs.

F.S.D


The Flame Supervision Device is designed to sense the presence of a flame. Should the flame be extinguished for any reason then the safety device will cut off the supply of gas to the burner.

Optional Ezi-Grip Handle



Most Wildfire appliances can be fitted with an elderly/ infirm handle to ease the lighting operation. This larger handle is much easier to access and move so if you think that this may be a requirement then talk to your retailer who will demonstrate the Ezi-Grip

system. This handle is purchased as an accessory and is fitted at the point of installation of the appliance.















HE







Open fronted appliances are designed to operate with the revolutionary XE system which is only available from Hearth Products. This new efficiency system is designed to 'tune' the appliance to your fireplace flue, thereby ensuring you obtain the maximum output from the appliance.

Regulations demand that gas fires must be installed by a Registered Gas Safe Engineer. For further information regarding Gas Safe requirements contact Wildfire directly, where we will be happy to give you advice. Warranty will be void if the appliance is not fitted in accordance to these legal requirements.

8 GAS FIRES E 900 (Avellino Suite) 83% HE Shown as standard version. Also available for Precast Flue.


The HE900 is the flagship model from Wildfire, the ultimate in fireplace technology.

The HE900 gas fire is revolutionary. It has been developed to create a European format appliance with expansive viewing glass that can be installed into a conventional 16" x 22" fireplace opening without any modification, or precast flue where the PCF version is ordered. This patent pending product is designed to fit UK fireplace openings with no need to alter the fabric of the building.

The HE900 features a stunning log and ember bed, easily controlled with a slide operating system which comes as standard. Finally, the ultimate fireplace solution has arrived...


The Avellino micro marble suite is available in manila, white or white with grey border.

DIMENSIONS



- A) 659mm
- B) 640mm C) 740mm
- D) 165mm (Standard)
- D) 220mm (PCF) E) 110mm (Standard)
- E) 55mm (PCF)
- F) 553mm

MANTEL DIMENSIONS



- A) 1320mm B) 1320mm C) 1159mm D) 400mm
 - E) 235mm (Standard) E) 290mm (PCF)
 - F) 165mm (Standard)
 - F) 220mm (PCF)
 - G) 663mm
 - H) 744mm

FLUE OPTIONS



Chimney





*When ordered as PCF model

CONTROL



FUEL BED



STANDARD MANTEL FINISH OPTIONS



Manila



White



Available with grey inner border - see similar detail on the Seville Suite

GAS CONSUMPTION



Heat Output (High) 5.1kW Heat Output (Low)

ENERGY EFFICIENCY CLASS D

10 GAS FIRES HE 900 (Dawin Suite) The HE900 (Precast Flue) featured in the Dawin Suite (PCF) in M. Also available as Standard model. Inset Dawin Suite standard.


The HE900 is available with the Dawin Suite, shown here as a PCF version is a stylish solution for homes with precast flue systems.

No longer are you restricted to choosing a narrow slimline fire for your precast flue. After years of development, innovation and patent applications the precast gas fire market has changed.

Ask your retailer to demonstrate this wonderful appliance, with its clean European styling, stunning log and flame ensemble with easy slide for ignition and control, nothing compares.


The Dawin suite completes this inspirational fireplace. The warmest and most welcome addition to your living room. Experience the future with the HE900РСF...

DIMENSIONS



- A) 659mm B) 640mm
- C) 740mm D) 165mm (Standard)
- D) 220mm (PCF)
- E) 110mm (Standard)
- E) 55mm (PCF) F) 553mm

MANTEL DIMENSIONS



- A) 1220mm
- B) 1143mm C) 1024mm
- D) 65mm E) 663mm
- F) 1220mm
- G) 744mm H) 235mm
- 1) 381mm J) 220mm (PCF) 165mm (Standard)

FLUE OPTION



Chimney

Pre-Fabricated

*Pre-Cast

*When ordered as PCF model

CONTROL **FUEL BED**





FUEL

STANDARD MANTEL FINISH OPTIONS



Manila



White

GAS CONSUMPTION




Heat Output (High)

ENERGY EFFICIENCY CLASS D

The new HE950L (STD & PCF) is the perfect appliance to bring your fireplace to life.


Just like the HE900, its predecessor, this fire fits into your standard 16" x 22" builders opening or precast flue if the PCF version is ordered. No building work, lintels, mess or costly installation. The fabric of your home will remain intact but you will benefit from a landscape, large format gas fire with beautifully crafted logs and colourful dancing flames. Ask your retailer for the different fireplace design options available with the HE950L, they will be able to deliver a suite to compliment the style of your living room.

DIMENSIONS



- A) 800mm
- B) 520mm
- C) 620mm
- D) 165mm (Standard)
- D) 220mm (PCF)
- E) 110mm (Standard)
- E) 55mm (PCF)
- F) 553mm

MANTEL DIMENSIONS



- A) 1320mm B) 1320mm
- C) 967mm
- D) 400mm
- E) 235mm (Standard)
- E) 290mm (PCF)
- F) 165mm (Standard)
- F) 220mm (PCF)
- G) 803mm
- H) 624mm

FLUE OPTIONS



*When ordered as PCF model

CONTROL



FUEL BED



FUEL

STANDARD MANTEL FINISH OPTIONS

or without Grey inner border.





Grey

Seville Suite available with



GAS CONSUMPTION

Heat Output (Low)

Heat Output (High)


ENERGY EFFICIENCY CLASS D

Heat Input (High)

The new HE950L (STD & PCF) delivers the same benefits as the standard model but can be installed into any precast flue.


For too many years the gas fire options to customers who have precast flues have been extremely limited. Patent pending technology enables this product to work in these very small flues. This fire features a full width realistic log fuel bed with rolling flames guaranteed to captivate and mesmerise the most discerning home owner. Classic elegance...in a precast flue.

DIMENSIONS



- A) 800mm
- B) 520mm
- C) 620mm
- D) 165mm (Standard)
- D) 220mm (PCF)
- E) 110mm (Standard)
- E) 55mm (PCF)
- F) 553mm

MANTEL DIMENSIONS



- A) 1320mm B) 1320mm
- C) 947mm
- D) 400mm
- E) 225mm (Standard)
- E) 280mm (PCF)
- F) 165mm (Standard)
- F) 220mm (PCF)
- G) 803mm
- H) 624mm

FLUE OPTION



Chimney

Fabricated

Pre-Cast

*When ordered as PCF model

Slide

CONTROL

Log

FUEL BED

FUEL

STANDARD MANTEL FINISH OPTIONS



Manila



GAS CONSUMPTION

6.9kW Heat Input (Low) Heat Output (High) Heat Output (Low)

ENERGY EFFICIENCY CLASS D




The Ravel 600 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 600 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Asti 600 Limestone surround, installed with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.


DIMENSIONS








D) 280mm




E) 665mm F) 597mm

EDGE TRIM ONLY

A) 598mm B) 598mm





- A) 1210mm F) 780mm
- B) 1032mm G) 590mm H) 588mm C) 1220mm
- D) 60mm 1) 72mm E) 742mm J) 145mm
- L) 60mm M) 380mm

K) 45mm

FLUE OPTIONS



Brick Chimney Fabricated

CONTROL



FUEL BED

Natural Gas

FUEL

WATCH VIDEO



Scan QR Code

GAS CONSUMPTION

6.8kW Heat Input (Low) 4.7kW

ENERGY EFFICIENCY CLASS E

Heat Output (Low)

Heat Output (High)

Note: The Asti 600 Limestone suite is only available to suit the Edge style trim as shown.





Chimney

HE





CONTROL



FUEL BED

FUEL

WATCH VIDEO

Scan QR Code

GAS CONSUMPTION

6.8kW Heat Input (Low) 4.7kW

ENERGY EFFICIENCY CLASS E

Heat Output (High)

Heat Output (Low)

fronted gas fire is suitable for both class 1 and class 2 flues. The Ravel 600 features the latest in under-log


The Ravel 600 joins the

family of Ravel products from Wildfire. This glass

burner technology is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Amalfi 600 micro marble surround, installed with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.


DIMENSIONS






- C) 18-32mm D) 280mm
- E) 665mm F) 597mm

EDGE TRIM ONLY






- A) 1210mm B) 1032mm
- F) 780mm G) 590mm
- C) 1220mm
- H) 588mm D) 60mm 1) 72mm E) 742mm J) 145mm
- L) 60mm M) 380mm

K) 45mm

Note: The Amalfi marble suite is only available to suit the Edge style





Brick Chimney



CONTROL

FUEL FUEL BED





Scan QR Code


GAS CONSUMPTION

Heat Input (High) 6.8kW

Heat Input (Low) 4.7kW

ENERGY EFFICIENCY CLASS E

Heat Output (High)




B) 747mm


The Ravel 600 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 600 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here installed as a Hole in the Wall fire with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.


DIMENSIONS






C) 18-32mm E) 665mm D) 280mm F) 597mm

STANDARD





A) 747mm

C) 10mm D) 280mm E) 665mm F) 597mm





Chimney

Pre-Fabricated

CONTROL



FUEL BED



FUEL

WATCH VIDEO



GAS CONSUMPTION

Heat Input (High) 6.6kW Heat Input (Low)

4.6kW

ENERGY EFFICIENCY CLASS E

Heat Output (High)

Heat Output (Low)

B) 864mm

- C) 1307mm
- D) 60mm
- E) 594mm F) 927mm

M) 300mm

- J) 140mm
- K) 50mm L) 155mm

G) 444-446mm H) 806-808mm

1) 95mm

1) 124mm

G) 406-408mm

H) 790-792mm

STANDARD TRIM


The Ravel 800 is one of the most exciting developments from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 800 features the latest in under-log burner technology and is sure to impress with it's stunning fuel bed layout.

The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.


Shown here in the Asti Limestone surround, this fire is available with two trim styles, the Edge trim, for the sleek trimless look or the conventional style Standard trim.

DIMENSIONS




- A) 798mm B) 415mm
 - C) 18-32mm D) 278mm
- E) 439mm F) 797mm


STANDARD




- A) 857mm B) 474mm
- C) 10mm D) 278mm
- E) 439mm F) 797mm

MANTEL DIMENSIONS













CONTROL



FUEL BED



FUEL

WATCH VIDEO



GAS CONSUMPTION



ENERGY EFFICIENCY CLASS E

4.6kW

Heat Output (Low)

Heat Output (High)

B) 875mm

- A) 1370mm
- C) 1370mm D) 65mm
- E) 614mm F) 928mm J) 145mm

K) 50mm

L) 155mm

M) 300mm

- G) 444-446mm
 - H) 806-808mm 1) 90mm

G) 406-408mm

H) 790-792mm

STANDARD TRIM


1) 119mm

The Ravel 800 is one of the most exciting developments from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

Shown here in the Siena Micro marble surround. this fire is available with two trim styles, the Edge trim, for the sleek trimless look or the conventional style Standard trim.


The Ravel 800 features the latest in under-log burner technology and is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

DIMENSIONS



- A) 798mm C) 18-32mm
- B) 415mm D) 278mm
- E) 439mm F) 797mm


STANDARD




A) 857mm C) 10mm B) 474mm D) 278mm

E) 439mm F) 797mm

MANTEL DIMENSIONS








The Ravel 800 is one of the most exciting developments from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

Shown here installed with the Ravel 800 Edge trim directly into a fireplace wall for a minimalistic look.

The Ravel 800 features the latest in under-log burner technology and is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

DIMENSIONS



A) 798mm C) 18-32mm B) 415mm D) 278mm

E) 439mm F) 797mm

STANDARD

A) 857mm B) 474mm E) 439mm

C) 10mm D) 278mm F) 797mm

FLUE OPTIONS



Brick Chimney Pre-Fabricated





FUEL BED



FUEL




WATCH VIDEO



Scan QR Code

GAS CONSUMPTION



Heat Output (High) 4.4kW Heat Output (Low)

ENERGY EFFICIENCY CLASS E





Brick Chimney

Pre-Fabricated

CONTROL



FUEL BED



FUEL

WATCH VIDEO



GAS CONSUMPTION

Heat Input (High) 7.7kW Heat Input (Low)

5.4kW

ENERGY EFFICIENCY CLASS E

Heat Output (High)

Heat Output (Low)

A) 1300mm EDGE TRIM

B) 1120mm

E) 820mm

F) 840mm

J) 160mm

K) 45mm

L) 100mm

M) 380mm

- G) 702mm C) 1280mm H) 740mm D) 60mm
 - 1) 70mm

STANDARD TRIM


- G) 741mm
- H) 756mm 1) 40mm

The Ravel 750 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 750 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The graceful and ingenious burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.


Shown here in the Asti 750 Limestone surround, installed with the sleek Edge trim, for the trimless look. The Ravel 750 Asti suite is the culmination of years of research, development and manufacturing excellence, producing the ultimate gas log fire.

DIMENSIONS




- C) 18-32mm A) 798mm
- B) 415mm D) 278mm
- E) 439mm F) 797mm

STANDARD





A) 857mm C) 10mm B) 474mm D) 278mm




- F) 797mm

MANTEL DIMENSIONS











Pre-

CONTROL

FUEL BED

FUEL

WATCH VIDEO



GAS CONSUMPTION

Heat Input (High) 7.7kW

Heat Input (Low) 5.4kW

ENERGY EFFICIENCY CLASS E

Heat Output

5.4kW


		C) 1370mm	J) 170mm
(High)		D) 65mm	K) 50mm
(Tigh)		E) 874mm	L) 100mm
		F) 928mm	M) 300mm
(Low)		G) 702mm	

Note: The Valentia marble suite is only available to suit the Edge style trim as shown.


The Ravel 750 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for bothclass 1 and class 2 flues.


The Ravel 750 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The graceful and ingenious burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Valentia micro marble surround, installed with the sleek Edge trim, for the trimless look. The Ravel 750 Valentia suite is the culmination of years of research, development and manufacturing excellence, producing the ultimate gas log fire.



MANTEL DIMENSIONS - EDGE TRIM






Suite) (Salvador Janama HE This fire requires a fireplace suite with a 3" rebate and a back panel n with Contemporary Chrome/Black trim, **EFFICIENCY**

The Panama log fire is a revolutionary product.

This wide format glass fronted gas appliance has the appeal of a European fire but the benefit of fitting into a standard 16" x 22" chimney breast opening. Normally an appliance of this stature would require building work and installation of a new lintel. The Panama has a patent pending installation system which, in conjunction with your new fireplace will provide a much more cost effective solution for this type of product. Talk to your dealer for full details. The Panama comes in slide control as standard.



A) 614mm B) 611mm

C) 560mm-580mm

D) 585mm-600mm


E) 76mm F) 406mm

G) 565mm

H) 117mm

Trim Width Trim Height Back Panel Opening Width Back Panel Opening Height Mantel Rebate Fire Width at **Builders Opening** Fire Height at **Builders Opening** Fire Depth into **Builders Opening**

MANTEL DIMENSIONS





FLUE OPTIONS



32 GAS FIRES

Brick Chimney Fabricated

Pre-

CONTROL





FUEL BED

FUEL





STANDARD MANTEL FINISH OPTIONS



SLIDE LEVER OPTIONS



PANAMA TRIM OPTIONS



Brass/Black







White

34 GAS FIRES Gressida HE HE Cressida HE shown with Creative Contemporary Satin/Black trim **EFFICIENCY**


The Cressida HE is a high efficiency glass fronted appliance suitable for Class 1 and Class 2 flues.


The most powerful gas fire in the Wildfire range, with its deep bed and powerful output this appliance provides the ultimate in performance and style.

The flagship Cressida HE is supplied in either manual or slide control. The slide control features the latest patent pending Direct Slide technology.

Remember, once you have chosen your appliance, you can decide how it looks by selecting trim and fret options. See the trim options below and in more detail on page 54..

DIMENSIONS





FLUE OPTIONS



Brick Chimney

Fabricated

CONTROLS

Manual

Electronic



FUEL BED

FUEL



STANDARD TRIM OPTIONS





CREATIVE TRIM OPTIONS







PROFILE TRIM OPTIONS





Black Profile

Brass/Black Satin/Black Chrome/Black Profile Profile

Profile

Front bars are optional. For more details see page 54


36 GAS FIRES **6** 84% HE Pesaro HE shown with Chrome Contemporary trim.

The Pesaro HE is a high efficiency glass fronted appliance suitable for Precast, Class 1 and Class 2 flues.

When the most important factor is heat, then the Pesaro mid-depth high efficiency gas fire will deliver. The fire can be fitted with an additional spacer to reduce the effective depth of the appliance.

The Pesaro HE is available in slide control as standard.

DIMENSIONS





FLUE OPTIONS



Brick





CONTROL



FUEL BED

FUEL



STANDARD TRIM OPTIONS



















Profile



Profile



Satin/Black Chrome/Black Profile

Black Profile

Front bars are optional. For more details see page 54


38 GAS FIRES Ravel HE (Salvador **6** 86% HE Ravel HE Log shown with Black Nickel / Chrome trim, installed into the Salvador White Suite

The Ravel HE Log 16"x 22" is a high efficiency glass fronted fire suitable for class 1 and class 2 flues.

The Ravel HE Log is sure to impress, with its under log burners and stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame height.

This fire is available with two trim styles, the Black Nickel and Chrome or the striking Anthracite version.

DIMENSIONS



GAS CONSUMPTION Heat Input (High) Heat Output (High) 4.8kW Heat Output (Low) Heat Input (Low)

ENERGY EFFICIENCY CLASS C

Black

3.0kW

FLUE OPTIONS



Brick Chimney



CONTROL **FUEL BED**



FUEL

STANDARD MANTEL FINISH OPTIONS



White

SLIDE LEVER OPTIONS





Black Nickel



Ezi-Grip





RAVEL TRIM OPTIONS

Bl.Nickel/


40 GAS FIRES "The balanced flue fire DERUK that really delivers" **6** 86%


The Thermes is our high efficiency balanced flue gas appliance.

If you have no flue or chimney in your home you will need a balanced flue gas fire. The Thermes is a room sealed high efficiency gas fire that really delivers.

This fire flues through an external wall and can be installed in most new or existing fireplaces.

Remember, once you have chosen your appliance, you can decide how it looks by selecting trim and fret options. See the trim options below and in more detail on page 54.





FLUE OPTION



CONTROLS

Thermes shown with Creative Profile Contemporary Satin/Black trim.

FUEL BED

FUEL





SLIDE LEVER

STANDARD TRIM OPTIONS

Featured with an Elgin & Hall Sophia 50" surround in Italica Micro Marble















PROFILE TRIM OPTIONS



Brass/Black

Profile





Front bars are optional. For more details see page 54

Satin/Black Chrome/Black

Satin/Black Chrome/Black Profile Profile


Black Profile

42 GAS FIRES BF960SI. Balanced Flue 86% EFFICIENCY HE


The BF960SL balanced flue gas fire is suitable for homes without a chimney.

This versatile and efficient slimline hole in the wall fire can be installed onto any outside wall of the home and generates a contemporary and stylish centrepiece for the room. This appliance can be installed directly into a cavity wall yet provides probably the deepest fuel bed effect for a product of its type. Coupled with a reflective black glass lining, this gas fire delivers the ultimate dancing flame effect and ceramic log layout.

TRIM DIMENSIONS



APPLIANCE DIMENSIONS



B) 666mm

E) 174mm F) 13mm

1) 151mm J) 523mm

C) 1138mm G) 29mm D) 608mm H) 183mm

K) 862mm L) 332mm M) 270mm -725mm

FLUE OPTION



CONTROLS



FUEL BED

FUEL

GAS CONSUMPTION



Heat Output (High) 4.6kW Heat Output (Low) 2.1kW

ENERGY EFFICIENCY CLASS C





The Cavello XE is a realistic open fronted gas fire with a powerful convecting heat exchanger to boost performance.

The Cavello is supplied with the XE System as standard, see page 7 for more details. This convector appliance will produce enough heat to satisfy most of the largest living rooms. It is available in manual and slide control with options of coal and pebble fuel bed effects.

The Wildfire Cavello XE can be supplied with a range of trims to suit the style that you are trying to achieve. See full trim options on page 54.

DIMENSIONS









Chimney

Brick



CONTROLS

Manual

FUEL BEDS















CREATIVE TRIM OPTIONS





PROFILE TRIM OPTIONS



Brass/Black

Profile



Satin/Black

Profile



Profile



Black Profile

Front bars are optional. For more details see page 54

STANDARD TRIM OPTIONS

46 GAS FIRES Montese (Cadiz The Montese shown with Cadiz Available as XE model with canopy uite in white/Grey. Also shown XE in all white (inset). Cadiz suite available with or without lights. see page 7 for further information.


The Montese is a stunning fire that will enhance any living room.

The Montese is an authentic looking coal effect gas fire, where realism is the most important factor.

By utilising the broad range of trims that Wildfire provides, you can choose the mood of your room from contemporary to traditional. It is available with pebble and coal fuel bed options and offers an impressive radiant heat output.

The Wildfire Montese is available in manual and slide control. See page 54 for full trim specifications.

DIMENSIONS D) 553mm A) 512mm G) 328mm A) 1220mm D) 400mm G) 413mm



FLUE OPTIONS



Chimney Fabricated

Pre-Cast

CONTROLS

Manual

Slide



FUEL BEDS







STD. TRIM OPTIONS









CREATIVE TRIM OPTIONS













Front bars are optional. For more details see page 54

Brass/Black Profile

Satin/Black Profile Profile

Black Profile


48 GAS FIRES (Salerno Available as XE model with canopy XE

The Ceralis is a powerful slimline appliance that will fit into all flue types. A spacer is available to enable it to be fitted into shallow precast flues.

The realistic fuel bed boasts a powerful flame picture for its size making the Wildfire Ceralis the obvious option when the flue available limits your choice of fire.


The Ceralis is available in manual and slide control with coal and pebble fuel bed options. The slimline fire is a stunning appliance which makes it the first choice for your precast flue. For full trim options see page 54.

DIMENSIONS



A) 512mm D) 553mm G) 300mm B) 352mm E) 123mm

C) 607mm F) 65mm



A) 1220mm D) 400mm G) 413mm B) 1220mm E) 210mm H) 565mm

C) 1095mm F) 45/75mm

SLIDE LEVER OPTIONS **MANTEL** Black Nickel Black White Marble GAS CONSUMPTION Heat Input (High) Heat Output (High) 6.75kW Grey Heat Input (Low) Heat Output (Low) Available with grey 3.5kW inner border. See

FLUE OPTIONS



Brick Pre-Chimney

Fabricated





Manual



CONTROLS





FUEL BEDS








STD. TRIM OPTIONS











CREATIVE TRIM OPTIONS






ENERGY EFFICIENCY CLASS F



PROFILE TRIM OPTIONS







Front bars are optional. For more details see page 54

Chrome/Black Brass/Black Satin/Black Profile Profile Profile

similar detail on the

Cadiz suite - page 48

Ellipsis



FLUE OPTIONS



Chimney



Balanced

CONTROL

Manual



Electronic*

Manual

*Glass fronted only **Open fronted only

Pebble**





Satin/Black



Chrome/Black



Also available in 3 sided

GAS CONSUMPTION

For inputs and outputs and efficiency classes refer to the relevant pages as below:



OPEN FRONTED (REFER TO MONTESE - PAGE 46) GLASS FRONTED (REFER TO CRESSIDA - PAGE 34) BALANCED FLUE (REFER TO THERMES - PAGE 40)


This beautifully styled hole in the wall appliance produces a powerful output.

Its warmth will transform your living environment. The Ellipsis is suitable for Class 1 and Class 2 flue types and is available in Coal or Pebble**.


The Ellipsis is available in open fronted or glass fronted HE format. The Ellipsis open fronted has a pebble option. This product is only available as manual control.

The Wildfire Ellipsis combines style, efficiency and space saving to provide the ultimate solution for an open fronted gas or glass fronted fire. If you are looking for realism coupled with powerful heat whilst retaining efficiency then this is the product for you.

DIMENSIONS







A) 512mm B) 403mm

GLASS FRONTED

OPEN FRONTED A) 512mm B) 403mm C) 660mm (HIW) C) 607mm (3 Sided)

D) 553mm E) 173mm

C) 660mm (HIW) C) 607mm (3 Sided)

D) 553mm

E) 198mm F) 174mm

G) 358mm



C) 607mm (3 Sided)

F) 290-624mm

G) 152mm


BALANCED FLUE

A) 512mm

C) 660mm (HIW)

D) 552mm


E) 186mm



The Ravel Stove is a stunning addition to any open fireplace. Based on the proven under-log burner system of the highly successful Ravel gas fire.

This gas stove version features crisp and clean lines only possible with the light weight aluminium extrusion employed in this design. Suitable for use with Class 1, Class 2 and precast flues.*

The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame effect.



DIMENSIONS

A) 464mm

B) 584mm C) 127mm

D) 502mm

E) 100mm

F) 289mm

G) 315mm H) 67mm

*Precast flue kit is additional part.

FLUE OPTIONS



Chimney





CONTROL



FUEL BED





Our 5 year limited guarantee* is managed directly by Wildfire through our extensive network of service centres throughout the UK. Choose Wildfire for style, performance, reliability, value and peace of mind.

GAS CONSUMPTION

Heat Input (High) 4.25kW Heat Input (Low)

2.6kW

ENERGY EFFICIENCY CLASS D

Heat Output (High) Heat Output (Low)

Trim Options

Choose the trim and fret options from the selection on this page. The Standard and Creative trim and fret options will fit MOST of the products in this brochure. The Ellipsis trim will fit manual control fires only. For further fret options consult your retailer.

SLIDE LEVER OPTIONS



Brass



Chrome




Black Nickel



Black



Ezi-Grip





Technical Information

Use the chart below to quickly check the options available for each product contained in this brochure. You will also find the flue types which products can be installed into. For further information consult the manufacturer's installation instructions or ask your local retailer for further advice.

PAGE NO.	FIRES	COAL OPTION	PEBBLE OPTION	LOG OPTION	MANUAL CONTROL	SLIDE CONTROL	PRE- CAST FLUE	CLASS II FLUE	CLASS I FLUE	BALANCED FLUE	XE INCLUDED	XE OPTIONAL	HE
8-9	HE900 (STD & PCF)			✓		✓	✓	✓	✓				✓
10-11	HE900 (STD & PCF)			✓		✓	✓	✓	✓				✓
12-13	HE950L (STD & PCF)			✓		✓	✓	✓	✓				✓
14-15	HE950L (STD & PCF)			✓		✓	✓	✓	✓				✓
16-21	RAVEL 600			✓		✓		✓	✓				✓
22-27	RAVEL 800			✓		✓		✓	✓				✓
28-31	RAVEL 750			✓		✓		✓	✓				✓
32-33	PANAMA			✓		✓		✓	✓				✓
34-35	CRESSIDA HE	✓			✓	✓		✓	✓				✓
36-37	PESARO HE	✓				✓	✓	✓	✓				✓
38-39	RAVEL HE			✓		✓		✓	✓				✓
40-41	THERMES	✓			✓	✓				✓			✓
42-43	BF960SL			✓		✓				✓			✓
44-45	CAVELLO XE	✓	✓		✓	✓		✓	✓		✓		
46-47	MONTESE	✓	✓		✓	✓	✓	✓	✓			✓	
48-49	CERALIS	✓	✓		✓	✓	✓	✓	✓			✓	
50-51	ELLIPSIS HIW	✓	✓ *		✓			✓	✓			✓	✓ **
52-53	RAVEL GAS STOVE			✓		✓	✓	✓	✓				✓

*open fronted only **glass fronted only

Some things you need to know

Electric Fireplace Suites

All of our electric appliances provide up to 2kW of instantaneous heat. At the push of a button, or from a programmed timer, this clean convected heat will power warmth into your room whenever you need it.

A mesmerising flame effect completes these beautiful products. With stunning log arrangements and a choice of three levels of flame control and up to five brightness/intensity levels. The vibrant flame effects provide that feeling of comfort even when the heat is not switched on. The flame effect system is a safe convenient and efficient design which uses only LED technology to ensure that running costs in flame only mode are extremely low.

The Wildfire range of suites couple this electric fire technology with exquisite micro marble fireplaces. Available in a range of colours (see pages 70 & 71) these suites all allow a flat to wall installation*

*The Panama E22 and Ravel E16 installed in the Salvador suite require a spacer frame (supplied separately) to allow flat to wall installation. If no spacer is required for this suite then a 65mm recess for the width and height of the appliance is required.





service staff are always on hand to help you with any query you may

directly by Wildfire through our



The distinguishing feature of a flame effect electric fire is the ability to provide a 'feel warm' comfort level with its' mesmerising glow at any time of the year. An energy efficient way to produce a stunning effect with minimal running costs. The instantaneous heat can be called upon on those colder evenings when its just not practical or cost efficient to turn on the central heating.





What control options are available?

The multifunction remote control handset provides ultimate controllability for your electric appliance. From 'Normal' operating mode where the appliance will run continually until the required temperature is set, to daily or weekly timer settings to give you complete control over the heating function.

A countdown timer is also included so the unit can be automatically be powered down after a predetermined length of time.

This beautifully styled remote features an internal thermostat to ensure it senses the right temperature in the room. An LCD display features all of the control functions available including flame setting and flame intensity.










The HE900E Avellino is a 52" flat to wall marble electric fireplace suite.

This fully electronic remote control fireplace offers 7 day thermostatic operation. The suite is available in all white or white with a distinctive grey highlight. A variety of flame effects provide a great solution to suit the mood for the day.

DIMENSIONS



For full technical and dimensional specifications refer to pages 70 and 71.









FUEL

FUEL BED

STANDARD MANTEL FINISH OPTIONS







Available with grey inner border - see similar detail on the Seville Suite -page 12.

Manila


White



The HE950LE Seville is a 52" flat to wall marble electric fireplace suite.

This incredible fireplace has been launched to complement the already successful, multi award winning HE950L Seville gas suite. It is available in the same flawless micro marble colour options, white or white with grey slip highlights. The appliance is fully thermostatic and has timers to allow heating to take place at the appropriate times.

DIMENSIONS



For full technical and dimensional specifications refer to pages 70 and 71.

CONTROL





FUEL BED



FUEL

STANDARD MANTEL FINISH OPTIONS






Available with grey inner border - see similar detail on the Seville Suite page 12.

The HE950LE Palma is a 52" flat to wall marble electric fireplace suite.

This Palma electric fireplace suite is available in manila or white micro marble. With all the charm and beauty of natural marble this suite offers clean lines to encapsulate the Eco Design compliant HE950LE electric fire.

A seven day timer with digital thermostatic control provides full controllability of this stunning focal point. A 2kW heat output will supply the heat you need at the touch of a button. Now relax and enjoy this masterpiece.

DIMENSIONS



For full technical and dimensional specifications refer to pages 70 and 71.











Electric

FUEL

STANDARD MANTEL FINISH OPTIONS






Manila

White


64 ELECTRIC FIRES

Panama E22 (Avellino



The Panama E22 can be supplied with numerous trim options, from the black anthracite or the two tone anodised range featuring brass, satin, chrome, black nickel & the new black nickel/chrome effect. The appliance is a fully electronic remote control fireplace offering a 7 day thermostatic operation. A variety of flame effects can be selected using the digital remote control, along with a whole range of other programmable features. For full information on the remote system refer to pages 70 and 71.

DIMENSIONS



PANAMA TRIM OPTIONS









Satin/Black Chrome/Black Bl.Nickel/

CONTROL





FUEL BED



FUEL

Available with grey inner border - see similar detail on the Seville Suite

STANDARD MANTEL FINISH OPTIONS





White






The Panama E22 Salvador is a 54" micro marble electric fireplace suite, available in all white or manila.

The Panama E22 can be supplied with numerous trim options, from the black anthracite or the two tone anodised range featuring brass, satin, chrome, black nickel & the new black nickel/chrome effect. The appliance is a fully electronic remote control fireplace offering a 7 day thermostatic operation. A variety of flame effects can be selected using the digital remote control, along with a whole range of other programmable features. For full information on the remote system refer to pages 70 and 71.

This product can be installed onto a flat wall if a spacer (available separately) is fitted. Alternatively a recess behind the fireplace can be made to accept the appliance rear section, talk to your retailer for further details.

DIMENSIONS



PANAMA TRIM OPTIONS







Brass/Black Satin/Black Chrome/Black Bl.Nickel/Black

CONTROL





FUEL BED

FUEL

STANDARD MANTEL **FINISH OPTIONS**




White


The Ravel E16 Salvador is a 54" micro marble electric fireplace suite, available in all white or manila.

The Ravel E16 can be supplied with either a black anthracite or a black nickel and chrome trim option. The fireplace can be installed onto a flat wall if a spacer (available separately) is fitted. Alternatively a recess behind the fireplace can be made to accept the appliance rear section, talk to your retailer for further details. The appliance is a fully electronic remote control fireplace offering a 7 day thermostatic operation. A variety of flame effects can be selected using the digital remote control, along with a whole range of other programmable features.

For full information on the remote system refer to pages 70 and 71.

DIMENSIONS





- A) 1370mm B) 1370mm
- C) 1160mm D) 400mm
- E) 230mm
- F) 512mm G) 611mm

RAVEL TRIM OPTIONS






Bl.Nickel/ Chrome

CONTROL









STANDARD MANTEL

White

FUEL BED

FUEL

Marble and Trim options electrical

	AVELLINO HE900E	SEVILLE HE950LE	PALMA HE950LE	AVELLINO PANAMA E22	SALVADOR PANAMA E22	SALVADOR E16
MARBLE COLOURS	W/WG/M	W / WG	W/M	W / WG	W/M	W/M
TRIM OPTION	As pictured	As pictured	As pictured	Br / Sa / Ch / An / BN	Br / Sa / Ch / An / BN	Br / Sa / Ch / An / BN
REMOTE CONTROL	Yes	Yes	Yes	Yes	Yes	Yes
THERMOSTATIC	Yes	Yes	Yes	Yes	Yes	Yes
PROGRAMMABLE TIMER	Yes	Yes	Yes	Yes	Yes	Yes
FLAME COLOUR SETTINGS	3	3	3	3	3	3
FLAME INTENSITY SETTINGS	5	5	5	5	5	5
MAX HEATER OUTPUT	2kW	2kW	2kW	2kW	2kW	2kW
SPACER OPTION FOR FLAT-WALL FIX	N/A	N/A	N/A	N/A	Yes	Yes

Marble Colours: W: White WG: White with Grey Slips M: Manila

Trim Options: Br: Brass/Black Sa: Satin/Black Ch: Chrome Black An: Anthracite BN: Black Nickel/Black









Chrome/Black

Manila





Satin/Black









Anthracite



Fireplace Dimensions

PAGE NO.	ELECTRIC FIREPLACE SUITE	HEARTH WIDTH	HEARTH DEPTH	SHELF WIDTH	SHELF DEPTH	OVERALL HEIGHT
58-59	AVELLINO HE900E	1320mm	400mm	1320mm	290mm	1159mm
60-61	SEVILLE HE950LE	1320mm	400mm	1320mm	290mm	967mm
62-63	PALMA HE950LE	1320mm	400mm	1320mm	280mm	947mm
64-65	AVELLINO PANAMA E22	1320mm	400mm	1320mm	290mm	1159mm
66-67	SALVADOR PANAMA E22	1370mm	400mm	1370mm	230mm	1160mm
68-69	SALVADOR RAVEL E16	1370mm	400mm	1370mm	230mm	1160mm







HEARTH PRODUCTS

Sales Enquiries: sales@hearthproducts.co.uk Technical Enquiries: customerservice@hearthproducts.co.uk

Tel: 01785 225401 Fax: 01785 225501

> Hearth Products Ltd, Unit 14 Brindley Close, Tollgate Industrial Estate, Stafford ST16 3SU



www.wildfiregas.co.uk www.wildfireelectric.co.uk

Scan the QR code with your mobile device to be directed to the Wildfire website.















